
Northwest Region Emergency Medical Services & Trauma System

STRATEGIC PLAN

July 1, 2 0 2 1 - June 30, 2 0 2 3



Submitted by: Northwest Region EMS and Trauma Care Council 5/13/21 Council approved draft

Table of Contents

Introduction	3
Goal 1	. 11
Goal 2	. 14
Goal 3	. 16
Goal 4	. 18
Goal 5	. 20
Appendix 1	. 23
Approved Minimum & Maximum Numbers of Designated Trauma Care Services (General acute Trauma Services) by level.	
Appendix 2	. 23
Washington State Emergency Care Categorized Cardiac and Stroke System Hospital	ls.
Appendix 3 Approved Minimum & Maximum Numbers of Designated Rehabilitation Trauma	. 24
Care Services	
Appendix 4	. 24
EMS Resources, Prehospital Verified Services, Prehospital Non-Verified Services	
Appendix 5	. 27
Approved Min/Max numbers of Verified trauma Services by Level and Type by	
County	
Appendix 6	. 28
Trauma Response Areas (TRA's by County)	
Appendix 7	. 36
Approved Training Programs	
Appendix 8	. 37
Patient Care Procedures (PCPs)	
Appendix 9	
A. County Operating Procedures (COPs)	. 57
B. Non-fatal Injury Hospitalization and Fatal Injuries Data	. 57

Introduction

The Northwest Region's Strategic EMS & Trauma Care System Plan is made up of goals adapted from the State Strategic EMS & Trauma Care System Plan. (RCW 70.168.015) The objectives and strategies are developed by our local councils and then approved by the Regional Council and its stakeholders to meet the goals of Northwest Region.

The Regional Council has adopted the following:

Mission: It is the Mission of NWREMS to promote and support a coordinated system for local Emergency Medical Services.

Core Values: Accountability, Honesty/Integrity/Trustworthy, Diligence, High Quality Patient Care, Fortitude, Unity, Respect, Focus, Service before self, While Services are unique all are imperative to *mission*.

Vision: Excellence thru integrity and honesty, Leader in the state for patient care delivery

In accordance with statutory authority RCW 70.168.00 – RCW 70.168.130 and Washington Administrative Code (WAC 246.976.960) the Northwest Region Emergency Medical Services and Trauma Care Council is the lead agency in the continued development, improvement, and sustainability of the trauma system in Clallam, Jefferson, Kitsap and Mason counties.

The Northwest Region is located on the Olympic Peninsula of Washington State. It is one of eight Regional Councils statewide composed of appointed volunteer representatives and funded primarily by the Washington State Department of Health (DOH). The Region is comprised of the following Counties: Kitsap, Mason, Clallam, and Jefferson. Due to demographics Northwest Region recognizes the West Olympic Peninsula - which includes West Clallam County and West Jefferson counties as a separate Council and they operate as such. As a result, we recognize 5 local EMS councils; Mason, Clallam, Jefferson, Kitsap, and West Olympic Peninsula. NW Region recognized that the unique demographics of the Region with one road leading in and out to some counties, one bridge that crosses Hood Canal, and a National Forest in the NW Corner of the Region can cause some struggles in transport of patients.

• Kitsap County is located on the eastern side of the Region and is classified as Urban. Comprised of 566sq. miles, 30% of which is water, Kitsap County has 250 miles of saltwater shoreline and 2 islands, Bainbridge Island and Blake Island, which is a Marine State Park with 1,127 acres and 5 miles of saltwater beach shoreline. Blake Island is an unserved area. Kitsap County is connected to the eastern shore of Puget Sound by Ferry routes and Highway routes connect Kitsap to the mainland via the Tacoma Narrows Bridge to the I-5 corridor, and to the neighboring Olympic Peninsula via the Hood Canal Bridge. The population of Kitsap county is 271,473 with approximately 19.8% rural population. Since 2010 Kitsap County has seen a growth of 9.61%. This average would project Kitsap County population growth to be at 283,282 by 2026. Located in Silverdale is St. Michael Medical Center with an Adult Level 3 Trauma Designation, a Cardiac Level 1 and Stroke Level 2 Categorization. Kitsap County has 8 Verified Prehospital Services, 1 BLS Ambulance and 7 ALS Ambulance.

- Mason County is located on the south-eastern side of the Region and is classified as Rural. Comprised of 1,051sq. miles, 9% of which is water. Mason County encompasses the southern reach of Hood Canal and many bays and inlets of southern Puget Sound. The population of Mason County is 66,768 with approximately 74.7% rural population. Since 2010 Mason County has seen a growth of 14.51%. This average would project Mason County population growth to be at 71,175 by 2026. Located in Shelton is Mason General Hospital with an Adult Level 4 Trauma Designation, a Cardiac Level 2 and Stroke Level 3 Categorization. Mason County has 12 Verified Pre-hospital Services, 3 BLS Aid, 6 BLS Ambulance and 3 ALS Ambulance.
- Clallam County is located on the north side of the Region and is classified as Rural. Comprised of 2,671sq. miles, 65% of which is water. Clallam County is the westernmost point in both Washington and the US. Clallam County shares borders with Canada, the Pacific Ocean, and the Strait of Juan de Fuca. The population of Clallam county is 77,331 with approximately 47.6% rural population. Clallam County now has a Life Flight Base located in Port Angeles. Since 2010 Clallam County has seen a growth of 10.33%. This average would project Clallam County population growth to be at 78,050 by 2026. Located in Port Angeles is Olympic Medical Center with an Adult Level 3 Trauma Designation, a Cardiac Level 2 and stroke Level 3 Categorization. Located in Forks is Forks Community Hospital with an Adult Level 4 Trauma Designation, a Cardiac Level 2 and a Stroke Level 3 Categorization. Clallam County has 8 Verified Pre-hospital Services, 3 BLS Ambulance, 1 ILS Ambulance and 4 ALS Ambulance.
- Jefferson County is in the middle of the Region, just below Clallam County and is classified as Rural. Comprised of 2,183sq. miles the Olympic Mountains and Olympic National Park/Forest make up 60% of the county. The population of Jefferson County is 32,221 with approximately 55.3% rural population. Since 2010 Jefferson County has seen a growth of 10.94%. This average would project Jefferson County population growth to be at 33,816 by 2026. Located in Port

Townsend is Jefferson Healthcare Hospital with an Adult Level 4 Trauma Designation, a Cardiac Level 2 and a Stroke Level 3 Categorization. Jefferson County has 5 Verified Pre-hospital Services, 3 BLS Ambulance and 2 ALS Ambulance.

The chart below shows the variance of population by county/age:

County	Population	% of population 65 years and over*
Kitsap	271,473	18.4%
Mason	66,768	23.3%
Clallam	77,331	30.5%
Jefferson	32,221	37.9%
NWREGION	447,793	27.3%

https://www.census.gov/quickfacts

NW Region recognizes that we have a high percentage of aging Community-dwelling older adults well in excess of the State average. Washington State overall percent of people 65 years and older is 16.5%.

https://www.doh.wa.gov/Portals/1/Documents/Pubs/609003.pdf

https://www.census.gov/quickfacts/fact/table/US/PST045219

https://en.wikipedia.org/wiki

https://worldpopulationreview.com/us-counties/wa/

Regional Council Members

Represent private and public healthcare providers across the EMS and Trauma Care System. The Northwest Region EMS and Trauma Care Council structure is composed of thirty-five representatives and thirty-one alternates. Each local council has: Two local council member representatives, One pre-hospital representative, One healthcare facility representative, One communications representative. Also: Four Medical Program Directors, and Regional positions with One Local Elected Official Representative, One Consumer Representative, One National Park Service/Forest Service Representative, One Coast Guard Representative, One Navy Region NW Representative One Law Enforcement Representative; and One Emergency Management Representative. As of 1/6/21 we have 33 active members. The Council meets 5 times per year on the 2nd Thursday in January, March, May, September and November in Sequim, Washington which is approximately the middle of the Region, or via virtual meeting platforms.

Executive Committee

Regional Council consists of the present Chairperson, Vice-Chairperson, Secretary/Treasurer, most recent past Chairperson and two At-Large members. The Committee has representatives from each of the local councils. They fulfill a decision-making process on behalf of the Northwest Region EMS Council to help meet the goals

5 Northwest Region EMS & Trauma Care Council 2021-2023

and objectives of the Regional Plan. The Executive Committee meets in the off months of the Council meetings when necessary and there is pressing business to discuss.

Training/Education/Development (TED) Committee

The Regional Councils TED Committee members are representatives from prehospital agencies located within the Northwest Region and Regional Medical Program Directors. They assist in the development and revisions of Northwest Region Protocols, Ongoing Training and Education Program (OTEP) and Patient Care Procedures, makes recommendations to the Council on the use of available EMS grant training funds; as well as other training related matters, addressing areas of need and future direction of prehospital training for the region. Training opportunities are posted on the Region's website and are frequently updated. The Committee meets prior to the Regional Council meetings in May and September or when necessary.

QI Committee

This committee membership consists of representatives from each of the five trauma designated hospitals located within the Northwest Region. This group also includes MPD's and pre-hospital providers and is the core of a group that conducts Quality Improvement reviews and participates in the ongoing process of updating Patient Care Procedures. This group also includes Cardiac & Stroke QI, and the members from the hospitals that make up Northwest Region. This committee is organized and run by the highest level of designated trauma centers and Categorized Cardiac and Stroke Facilities in the Region. The QI Committee holds an annual conference where information from various data sources may be shared to inform and promote quality improvement. The Committee meets prior to the Regional Council meetings and the Executive Director acts as Administrator for this Committee.

Injury & Violence Prevention (IVP) Committee

The IVP Committee is dedicated to preventing the leading causes of injury and death in the region which have consistently been Unintentional Falls, Unintentional Poisoning, Suicide by Firearm, and Unintentional Motor Vehicle crashes. When funds allow, Annual mini-grants are awarded to evidence-based injury prevention projects in Northwest Region that support data-driven projects in the leading causes of injury and death. The committee meets prior to the Regional Council meetings 3 times per year or when necessary.

Funding Committee

Regional Council Funding Committee members, in conjunction with the Executive Committee members, are tasked with the review of annual training requests and office operations budgets and to form a recommendation for the Northwest Region EMS and Trauma Care Council to help meet the goals and objectives of the prehospital portion of the Regional Plan. The committee meets annually, or as needed, to formulate an operating budget prior to the May Regional Council meeting.

Protocol Committee

Committee made up of the NW Regions' MPD's and designated providers tasked with the review and updating of our Regional Protocols. They make recommendations for improvements and submit for approval. The committee meets whenever Protocol review is open and is done as needed.

EMERGENCY CARE SYSTEM RESOURCES

EMS & Trauma Hospital Designations & Response Areas

https://fortress.wa.gov/doh/ems/index.html

Verified Pre Hospital Services

There are thirty-three (33) EMS licensed & trauma verified aid and ambulance services within the Northwest Region as of 2/2/21 (appendix 4):

	AID	AID	AID	AMB	AMB	AMB
County	BLS	ILS	ALS	BLS	ILS	ALS
Kitsap	0	0	0	1	0	7
Mason	3	0	0	6	0	3
Clallam	0	0	0	3	1	4
Jefferson	0	0	0	3	0	2
NWREGION	3	0	0	13	1	16

https://www.doh.wa.gov/Portals/1/Documents/Pubs/emslic.pdf

Pre Hospital Providers

There are a total of 1,183 EMS providers and 399 of which are volunteers as of November 3, 2020 (appendix 4):

County	# of Paid Personnel	# of Volunteer Personnel	# of Non Medically Trained Drivers	# of Advanced First Aid Personnel	PERCENT VOLUNTEER
Kitsap	452	59	0	0	11.5%
Mason	149	119	28	72	44.4%
Clallam	125	149	4	21	54.3%
Jefferson	58	72	16	1	55.3%
NWREGION	784	399	48	94	33.7%

NW Region recognizes that we have a large percentage of Volunteers in our Region. This can be a challenge to properly train and maintain skills, and transport in a timely manner. We had a 9% increase in EMS providers and an 8.5% increase in volunteers.

Senior EMS Instructors (SEI), EMS Evaluators (ESE), Approved Training Programs

There are 12 SEI's, 2 SEIC's, 242 ESE's and 5 Approved Training Programs within the Northwest Region as of February 9, 2021 (appendix 8C):

County	SEI	SEIC	ESE	Training Programs
Kitsap	5	0	92	1
Mason	4	2	45	1
Clallam	2	0	76	2
Jefferson	1	0	29	1
NW REGION	12	2	242	5

Designated Trauma Facilities

There are five (5) trauma services designated within the Northwest Region as of June, 2020 (appendix 1):

Adult Level III	Adult Level IV
2	3

https://www.doh.wa.gov/Portals/1/Documents/Pubs/530101.pdf

Categorized Cardiac and Stroke Facilities

There are five (5) Emergency Cardiac and Stroke System Hospitals within the Northwest Region as of December 2018 (appendix 2):

County	Cardiac	Cardiac	Stroke	Stroke	Stroke
	Level I	Level II	Level I	Level II	Level III
Kitsap	1			1	

Mason	1	1
Clallam	1	1
Jefferson	1	1
West Olympic		
Peninsula	1	1

https://www.doh.wa.gov/Portals/1/Documents/Pubs/345299.pdf

Historical Snapshot

Accomplishments and outcomes from 2019-2021 strategic plan are as follows but not limited to:

- We have successful transitioned in 2 new MPD's that have replaced 2 long standing MPD's. This transition has been very smooth and both new MPD's have been active within their counties. Support came from fellow MPD's, and Region Executive Board members that helped collaborate in the hiring and transition process.
- Successfully funded our full amount in Program Grants despite Covid challenges including Initial EMT Classes, Training equipment, ALS/ILS OTEP, Web based ALS training, and Regional Protocol revision.
- NW Region also had a successful Hospital merge as Harrison Bremerton, and Harrison Silverdale merged to form 1 new hospital in Silverdale. Now known as St. Michael Medical Center – Silverdale. Kitsap County EMS council and stakeholders participated with inner agency collaboration. Communication was disseminated from the Region (air ambulance, Cath labs, rural health communication). NW Region had the CEO of St. Michaels attend a Region meeting to discuss move to Silverdale.
- The Region has successful formed an operating budget that fits within DOH standards and restrictions.
- The Region successfully welcomed and trained with an additional Air Medical resource- LifeFlight. LifeFlight offered ACLS, PALS, Landing zone, and Advanced Airway training to pre-hospital providers within the Region.
- Regionwide collaboration continues to be one of our strengths as we continue to have a large active Regional Council.
- The region MPD's collaborated and successfully updated our Regionwide Protocols.
- Covid Accomplishments include writing new COP's to address changes in Advanced Airway Management, Bacterial Filters and Covid specific adjustments. New training was conducted on these topics. The Regional also began conversations to build up Emergency Operation Plans and shared information from DOH and NWHCRNW. EOC's were stood up. NW Region adapted to the changes quickly and only missed 1 Meeting during this Pandemic.

Challenges and Priorities

Challenge and Priorities are as follows but not limited to;

- In the wake of the Covid NW Region is working with emergency preparedness partners to develop a DMCC network and plan for the Region. This is now a standing agenda item and discussed at every meeting.
- In NW Region there is a lack of clinical ride sites. This creates challenges within the Region. We will encourage and/or develop a Regional standard. The programs need to collaborate and develop a best practice to standardize field internship student participation.
- EMS calls and other healthcare activities due primarily to substance use disorders can result in the inefficient use of emergency resources and contribute to EMS provider burnout. The lack of adequate facilities and resources to address this population continues to be a challenge in the region.
- Covid Challenges included coordination to hospital shift when St. Michaels had a
 hospital outbreak. Struggled with initial PPE shortages. Local Agencies along with
 the Councils helped to coordinate Immunization to County and internal EMS
 providers. Workplace monitoring and keeping crew safe and staffed was also a
 challenge. Agencies also had to make last minute adjustments to modify and
 continue their training.
- In NW Region there is a shortage of Paramedics. This is due to promotions within merging agencies, retirement, and not enough training programs available to them. The training programs are too limited to the number of providers it can hold thus making it challenging to fulfill openings within the Region.

Regional System Goals – Objectives – Strategies July 2021 – June 2023

- Goal 1 -

Northwest Region will use DOH Needs Assessment guidance to determine the need for minimum and maximum numbers and levels of designated trauma, pediatric and rehabilitation services, and categorized cardiac and stroke for system development.

The Regional Council recommends the minimum and maximum numbers and levels of EMS verified trauma services. Recommendations from the Local Councils and county MPDs are utilized as well as the method developed by the DOH to standardize identifying Prehospital system resource needs. The Local Councils and county MPDs also assist in identifying trauma response areas in each County and developing trauma response area maps.

- Goal 1 -

Maintain, assess and increase emergency care resources.

Objective 1: By May 2022 Determine min/max numbers for verified prehospital services.

Strategy 1. By **March 2022**, the Regional Council will request each county council review the verified prehospital services min/max numbers.

Strategy 2. By **March 2022**, The Regional Council will guide the county councils through the process of evaluating and/or making changes by providing DOH guidance and training as needed.

Strategy 3. By **May 2022**, the Regional Council will review and consider any recommendation to change the min/max numbers at a region council meeting.

Strategy 4. Throughout the plan cycle, the Regional Council will review current verified prehospital services min/max numbers in the region plan for accuracy and help resolve any found discrepancies.

Strategy 5. Annually, Staff will ensure that county councils inform the region council when there is a change in a prehospital service (merger, closure, or addition) by conducting a survey after receiving Agency Resource Report from DOH.

Objective 2: By January	Strategy 1. By September 2022, the Regional Council
2022, Determine min/max	will request the Region QI committee review designated
#s for designated trauma	trauma services min/max numbers.
services.	Strategy 2. By November 2022, the Regional Council will
	review and consider recommendations by the QI
	committee to make any changes to the designated
	trauma services min/max numbers at a Regional Council
	meeting.
	Strategy 3. By January 2023, the Regional Council will
	review current designated trauma
	services min/max numbers in the region plan for
	accuracy and help resolve any discrepancies.
	Strategy 4. Annually, Staff will ensure that Hospitals
	inform the Regional Council when there is a change in
	designation by conducting a survey.
Objective 3: By September	Strategy 1. By September 2021, the Regional Council
2021, Review and document	will review current categorized cardiac and stroke
categorized cardiac and	facilities in the region plan for accuracy and help resolve
stroke facilities.	any discrepancies. County councils or hospital
	representatives will be asked to immediately inform the
	region council any time there is a change in
	categorization.
Objective 4: By January	Strategy 1. By September 2021, the Regional Council
2022, Review and document	will request the Region QI committee review designated
designated rehabilitation	rehabilitation services min/max numbers.
services and levels.	Strategy 2. By November 2021, the Regional Council will
	review and consider recommendations by the QI
	committee to make any changes to the designated
	rehabilitation services min/max numbers at a Regional
	Council meeting.
	Strategy 3. By November 2021, the Regional Council will
	review current designated trauma
	services min/max numbers in the region plan for
	accuracy and help resolve any found discrepancies.
Objective 5: By May 2023,	Strategy 1. By January 2022, the Regional Council will
Conduct a needs	start a workgroup to develop a Needs assessment
assessment for trauma,	process.
EMS, cardiac, stroke.	Strategy 2. By May 2022, The Region will conduct the
	needs assessment for trauma, Prehospital EMS, cardiac,
	stroke.
	Strategy 3. By September 2022, the Region will report
	January J. Dy Jepterineer 2022, the Region will report
	the findings of the needs assessment for trauma,

	Prehospital EMS, cardiac, stroke, to DOH and the Regional Council.
Objective 6: By January	Strategy 1. By September 2022, the Region will
2023, Identify unserved and	collaborate with the county councils and DOH to
underserved areas.	develop an effective method to review the trauma
	response area maps and revise as needed.
	Strategy 2. By November 2022 the Regional Council
	requests each county council review and revise the
	trauma response area maps, as needed.
	Strategy 3. By January 2023, the Regional Council will
	work with each county council to update the trauma
	response area maps as needed and report any necessary
	changes to DOH.

- Goal 2 -

The Northwest Region participates in continued collaborative planning processes as needed to ensure that key stakeholders remain informed of system issues and have the opportunity to be involved in resolving both local and regional system concerns.

The Regional Council, as the lead organization, will work closely within the 5 Local EMS & Trauma Care Councils, MPDs, EMS providers, trauma services, public health, emergency management, and other EMS and trauma stakeholders to assure a multi-disciplinary approach to EMS and trauma care system development. The Region staff will disseminate emergency preparedness information with the Council by partnering with emergency management programs.

	- Goal 2 -		
Support emergency preparedness activities.			
Objective 1: By	Strategy 1: Throughout the plan cycle, the Regional		
November 2021,	Council will invite emergency preparedness		
Coordinate with and	representatives to participate on county and region		
participate in emergency	councils.		
preparedness and	Strategy 2. Throughout the plan cycle, the Regional		
response to all hazards	Council will encourage participation in disaster planning		
incidents, patient	& training opportunities by sharing information on		
transport, and plan	upcoming events. (training classes, full scale drills,		
initiatives to the extent	tabletop exercises)		
possible of existing	Strategy 3. Throughout the plan cycle, the Region staff		
resources.	will distribute pre-hospital Emergency Preparedness		
	information on the Region website		
Objective 2: By May 2022,	Strategy 1. By March 2022, the Region will compile		
work with emergency	each of county MCI plans and inventory of county		
preparedness partners to	assets for disaster response.		
develop a DMCC network	Strategy 2. By May 2022, the Region will coordinate		
and plan for the Region.	with emergency preparedness partners to complete a		
	DMCC plan for the Region.		
	Strategy 3. By May 2022, the Region will incorporate		
	the DMCC plan into the Regional Plan and patient care		
	procedures.		
Objective 3: By May 2022,	Strategy 1. By March 2022, the Region will compile		
coordinate with county	each of the county pandemic disease plans.		
public health	Strategy 2. By May 2022, Regional staff will work with		
departments and	emergency preparedness partners to facilitate a		
emergency preparedness	pandemic disease plan for the Region.		
	barracius areada bian ioi are ucebiani		

partners to facilitate a	Strategy 3. By May 2022, the Region will identify
regional pandemic	mechanisms to coordinate patient flow during a
disease plan.	pandemic within the Region and maximize critical care
	resources.

- Goal #3 -

The Northwest Region of EMS is currently working to establish programs to reduce the incidence and impact of injuries, violence and illness in the Region. The programs that are being established and used are; the community paramedic program, which is currently being piloted in Clallam County, and the fall prevention program which is currently operating in many EMS agencies in the region now. The fall prevention program is targeting a specific demographic of patients. This program is tailored for the community-dwelling older adults who may suffer from just the inability to move around as well as they once did. NW Region recognizes a challenge with a high percentage of older adults in our area. With the objectives and specific strategies that are in place the region would like to reduce the number of falls. This would lower the amount and frequency of 911 calls and thereby lower the number of patients that would frequent the local emergency rooms. Falls is the leading cause of unintentional deaths. With the fall prevention program in place we are striving to lower these numbers and lower the numbers of repeat falls. Nonfatal Injury Hospitalization and Fatal Injuries reports shown in Appendix 8B.

- Goal #3 -							
Plan, implement, monitor an	d report outcomes of programs to reduce the incidence						
and impact of injuries, violer	ice and illness in the region.						
Objective 1: By May	Strategy 1. By January annually, the Regional Council						
Annually, Promote best	shall conduct a survey to identify all activities and						
available or promising	programs provided by member agencies that impact						
practices and programs.	the occurrence of and/or reduce the incidence of						
	injuries, violence and illness within the region.						
Strategy 2. By throughout the plan cycle, The F							
	Council will request IVP best practices information and						
	links from the IVP TAC to post on the Region Website.						
	Strategy 3. By March annually , The Regional Council						
	Staff will request fatal and non-fatal hospitalization						
	data from DOH to share at the IVP meeting and will						
	post on the Region Website.						
Objective 2: Annually,	Strategy 1. Annually, once activities and programs						
Document interventions	have been identified quantitative and qualitative						
and outcomes and provide	approaches shall be employed to define the impact						
a report of the findings to	those activities and programs have on patient						
the EMS and Trauma	outcomes. This report shall be widely distributed						
Steering Committee.	amongst member agencies and WA DOH.						
Objective 3: Throughout	Strategy 1. By throughout the plan cycle, Activities						
the plan, Build sustainable	and programs with measurable positive impacts shall						
prevention partnerships	be promoted within the region through the						
with pre-hospital	implementation of ongoing educational activities.						

providers, hospitals, public	Strategy 2. By December 2022, each county will survey
health and for-profit and	with their respective mental health, crisis services, and
non-profit organizations.	case management partners in their counties for
	outcome data for mental health and substance abuse
	patients.
	Strategy 3. Throughout the plan cycle, a Regional
	Council member or staff will participate in the IVP TAC
	meetings and report back to the Regional Council.
Objective 4: Identify and	Strategy 1. Annually a literature review shall be
explore emerging concepts	performed to identify emerging technologies,
for Mobile Integrated	strategies and activities that involve Mobile Integrated
Health Care	Health Care/Community Paramedicine programs to
(MIH)/Community	impact the incidence and occurrence of injuries,
Paramedicine.	violence and illness encouraging the Region to move to
	Records Management. collection, platform to
	communicate better, and pull consistent data.
	Strategy 2. Annually, each Mobile Integrated Health
	Care/Community Paramedicine program will provide
	outcome data for all patients serviced in that program.
	Share best practices with other agencies, give
	pros/cons, collaboration momentum and education.
	Strategy 3. Annually, each Mobile Integrated Health
	Care/Community Paramedicine program will provide
	outcome data for all mental health and substance
	abuse patients serviced in that program. Share best
	practices with other agencies, give pros/cons,
	collaboration momentum and education.
	Strategy 4. Biannually assess prehospital burden of
	Behavioral health and substance Use Disorder. Identify
	non-EMS agencies to collaborate for solutions and
	report findings.

- Goal #4 -

The Northwest Region participates in a collaborative planning processes as needed to ensure that key stakeholders remain informed of system issues and are afforded an opportunity to be involved in resolving local, regional and state system concerns.

The Regional Council, as the lead organization, works closely with the Clallam, Jefferson, Kitsap, Mason, and West Olympic county EMS & Trauma Care Councils, their respective MPDs, and other EMS and trauma stakeholders to assure a multi-disciplinary approach to EMS and trauma care system development and data collection. These activities improve the widespread availability of trusted, complete, and accurate data for member seeking to use it for performance improvement.

- Goal #4 -						
Assess weaknesses and stre	ngths of quality improvement programs in the region.					
Objective 1: Identify and	Strategy 1. By July 2021, the Region will work with					
implement strategies to	DOH Research and Data Analysis section on receiving					
increase prehospital	reports specific to the region and work to develop					
services reporting to and	improvement strategies for WEMSIS data.					
participation in	Strategy 2. By July 2021, the Region will survey all non-					
prehospital data sources,	submitting prehospital trauma agencies that have been					
e.g., WEMSIS, CARES, etc.	identified by WA DOH (Strategy 1) within the region to					
	determine their current ability to submit EMS data and					
	any challenges/barriers they are encountering.					
	Strategy 3. By August 2021, the Regional Council					
	through the Local County EMS and Trauma Care					
	Councils will provide educational and training					
	opportunities to non-submitting prehospital trauma					
	agencies to encourage the submission and utilization of					
	data within those specific organizations.					
	Strategy 4. By November 2021, Utilizing the existing QI					
	Committee the regional council will develop a standing					
	prehospital Quality Improvement sub-committee. The					
	sub-committee utilizing WEMSIS data shall develop					
	regional KPIs, such as average response times,					
	medications administered, procedures performed, and					
	runs per month/year.					
Objective 2: By	Strategy 1. By July 2021, the Region and county					
September 2021, the	councils will compile a list of QI programs in the region.					
Region will conduct a	and create a summary report.					
survey of QI programs	Strategy 2. By September 2021, the Regional Council					
and asses/identify any	will use the results of the findings to assess the state of					
gaps.						

overall FMS system quality improvement	QI programs and develop recommendations to enhance
overall Elvis system quality improvement:	overall EMS system quality improvement.

- Goal #5 -

Northwest Region together with the local councils conducts and annual pre-hospital training needs assessment. To assist the local councils, and meet the requirements of our contract, Northwest Region provides grant funding support to supplement quality EMS training, equipment and Injury Prevention activities. Program funding was used in the previous plan to support Initial EMT Classes, Training equipment, ALS/ILS OTEP, Web based ALS training and its development, Regional Protocol revision and Falls prevention activities.

Northwest Region together with all County MPD's, Navy Region NW and the Protocol Committee work together to develop Regional Patient Care Procedures (PCP's) and Protocols that have been developed to provide specific direction for how the trauma system and patient care should function within Northwest Region. In addition to Northwest Region Patient Care Procedures (PCP's), Local Councils have developed County Operating Procedures (COPs) with their MPDs. These provide details on how County specific EMS agencies will carry out the Regional PCPs, Northwest Region Protocols, PCP's and COP's in line with the standardized methods from DOH.

Northwest Region reviews and updates their Region wide protocols every 2 years, or as necessary. Together with a Protocol Committee and all MPDs this process begins 6 months to a year prior to submission to DOH for approval.

- Goal #5 -

Promote regional system sustainability.

Objective 1: Manage the business work of the Regional Council, including:

- budgeting,
- financial reports,
- contract deliverables, meeting coordination, communications

Strategy 1. By May annually, the Regional Council will create and approve an annual budget for the following fiscal year.

Strategy 2. By **September annually**, the Council will review actual year end numbers and make any necessary revisions to the budget for the new fiscal year. This will be submitted to the DOH.

Strategy 3. Monthly the Regional Council financial transactions will be conducted in accordance with the council fiscal accounting policies and procedures Manual.

Strategy 4. Monthly, Financial activity reports and bank statements will be provided for review to the Executive Committee and bi-monthly for approval at each Regional Council meeting.

Strategy 5. By **November annually**, the BARS report will be submitted to the State Auditor's Office as required.

Strategy 6. Biennially, the Regional Council will cooperate with the State Auditor's Office to facilitate the audit process.

Strategy 7. Biennially, at the DOH timeline, the Regional Council will renew the contract with DOH for implementation of the System Plan and maintain ongoing contractual compliance oversight.

Strategy 8. Throughout the plan period, the Region Staff, will coordinate and hold regularly scheduled meetings for the Council, subcommittees and workgroups.

Strategy 9. Throughout the plan period, the Region will ensure that County Councils coordinate and hold regularly scheduled meetings. Region staff or Executive Board member will attend meetings in person or send a Region report prior to the scheduled council meeting.

Strategy 10. Throughout the plan period, the Regional Council will maintain a website with pertinent Regional and county council information per DOH requirements and beyond.

Strategy 11. Throughout the plan period, a
Regional Council representative will participate in
EMS & Trauma related meetings, committees, and
workgroups and TACS including; County Council
meetings, State EMS Steering Committee, Regional
Advisory Committee (RAC), DOH Office of
Community Health meetings, WAC revision, and
Regional QI meeting, Regional IVP, etc

Objective 2: Manage Regional Council membership to ensure all medical, and other partners and stakeholders, are represented. **Strategy 1. Throughout the plan period**, the Regional Council will provide new council members orientation information including the region council handbook, bylaws, etc.

Strategy 2. By **May annually**, the Regional Council will work with council members to ensure reappointment applications are submitted to the DOH prior to the September expiration.

Strategy 3. Throughout the plan period as needed region staff will ensure that Council members are current with required OMPA training.

	Charles A. Thursan hout the alexanded the accion
	Strategy 4. Throughout the plan period, the region
	council will work with the Region Stakeholders to
	identify gaps in membership.
Objective 3: Enhance	Strategy 1. By September 2021, each county
workforce development and	councils will conduct a county wide training needs
support training and	assessment to identify training needs of all county
education for prehospital	EMS agencies within their county.
providers.	Strategy 2. By September 2021, the Training and
	Education Committee will review the submitted
	requests and make a recommendation to the
	Region Council for approval.
	Strategy 3. By November 2021, the Regional
	Council will establish prehospital training grant
	contracts with each County Council.
	Strategy 4. By May annually , the Region will review
	and reallocate grant funds when grant awarded
	planned training does not occur within the grant
	period.
	Strategy 5. By June 30, 2023, grant funds are
	distributed throughout the contract as the training
	occurs and complete reimbursement and course
	outcome documentation is submitted to the region
	council office.
Objective 4: Review and	Strategy 1. By March 2023, the Regional Council will
update Patient Care	continue to collaborate with the RAC TAC and DOH
Procedures (PCPs), as needed;	to standardize and improve PCPs as directed and
and, work toward statewide	make revisions as necessary.
standardization of PCPs.	Strategy 2. As needed, the Regional Council along
	with the MPD's will review and update the Regional
	Protocols as necessary.
	Strategy 3. As needed, the Regional Council will
	maintain the PCPs & Protocols and make available
	electronically on the region's website.
	Strategy 4. By May 2022, the Regional Council will
	provide training on the development and purpose
	of COPs with DOH guidance.
Objective 5: Explore	Strategy 1. Throughout the plan cycle, the Region
opportunities for sustainable	will work with the DOH/RAC to support sustainable
Opportunities for sustainable	,
	practices as available.
practices for rural EMS	practices as available. Strategy 2. As needed. staff will continue to
	Strategy 2. As needed, staff will continue to
practices for rural EMS	Strategy 2. As needed, staff will continue to communicate information and opportunities from
practices for rural EMS	Strategy 2. As needed, staff will continue to

APPENDICES

Appendix 1. Approved Minimum/Maximum (Min/Max) numbers of Designated Trauma Care Services in the Region (General Acute Trauma Services) by level.

Approved Minimum/Maximum of Designated Trauma Care Services (General Acute Trauma Services)										
Laval	State Approved Current Status									
Level	Min	Max Current St								
II	1	1	0							
III	2	2	2							
IV	2	3	3							
V	3	4	0							
II P	0	0	0							
III P	1	1	0							
II R	0	0	0							

Numbers are current as of February 2020

https://www.doh.wa.gov/Portals/1/Documents/Pubs/689163.pdf

Trau	Trauma Designation		Facility	City		
Adult	Adult Pediatric Rehab					
III			St. Michael Medical Center	Silverdale		
III			Olympic Medical Center	Port Angeles		
IV			Forks Community Hospital	Forks		
IV			Jefferson Healthcare Hospital	Port Townsend		
IV			Mason General Hospital	Shelton		

http://www.doh.wa.gov/Portals/1/Documents/Pubs/530101.pdf

Appendix 2. Washington State Emergency Care Categorized Cardiac and Stroke System Hospitals.

iospitais.							
Washington State Emergency Care Categorized Cardiac and Stroke System Hospitals							
Categorization							
Cardiac	Stroke						
I	II	St. Michael Medical Center	Silverdale	Kitsap			
II	III	Olympic Medical Center	Port Angeles	Clallam			
II	III	Forks Community Hospital	Forks	Clallam			
II	III	Jefferson Healthcare Hospital	Port Townsend	Jefferson			
II	III	Mason General Hospital	Shelton	Mason			

Numbers are current as of December 2018.

http://www.doh.wa.gov/Portals/1/Documents/Pubs/345299.pdf

Appendix 3. Approved Minimum/Maximum (min/max) numbers of Designated Rehabilitation Trauma Care Services.

Approved Minimum/Maximum of Designated Rehabilitation						
Trauma Care Services						
Lovel	State A _l	oproved	Current Status			
Level	Min	Max	Current Status			
II	0	0	0			
III*	0	0	0			

(There are no restrictions on the number of Level III Rehab Services.) Numbers are current as of February 2020.

https://www.doh.wa.gov/Portals/1/Documents/Pubs/689163.pdf

Appendix 4. EMS Resources, Prehospital Verified Services, Prehospital Non-Verified Services.

Credential #	Credential Status	Agency Name	City	Expiration Agency Care Date Type Level		Ground Vehicle				nel	
Clallam County							#	#	#	#	#
*Indicates West Oly	mpic Peninsula						AMB	AID	BLS	ILS	ALS
AID.ES.60704710	ACTIVE	Norpoint Medical	Port Angeles	3/31/202	AID	BLS	0	2	2	0	1
AMBV.ES.00000055	ACTIVE IN RENEWAL	Clallam 2 Fire Rescue and Clallam County Fire District No. 2	Port Angeles	3/31/2021	AMBV	ALS	3	0	33	2	4
AMBV.ES.00000056	ACTIVE IN RENEWAL	Clallam County Fire District #3	Sequim	3/31/2021	AMBV	ALS	6	3	58	0	25
AMBV.ES.00000057	ACTIVE IN RENEWAL	Clallam County Fire Protection District No.4	Joyce	3/31/2021	AMBV	BLS	2	0	13	2	3
AMBV.ES.00000058	ACTIVE IN RENEWAL	*Clallam County Fire District 5	Clallam Bay	3/31/2021	AMBV	BLS	2	0	8	0	0
AMBV.ES.00000060	ACTIVE	Port Angeles Fire Department	Port Angeles	5/31/2021	AMBV	ALS	3	2	17	0	14
AMBV.ES.00000066	ACTIVE	*Clallam County Hospital District #1	Forks	5/31/2022	AMBV	ILS	4	2	15	9	0
AMBV.ES.00000067	ACTIVE	Olympic Ambulance Service Inc.	Sequim	5/31/2022	AMBV	ALS	13	0	30	0	10
AMBV.ES.00000068	ACTIVE	*Neah Bay Ambulance Service	Neah Bay	5/31/2021	AMBV	BLS	3	0	2	7	1
ESSO.ES.60295051	ACTIVE	Port Angeles Police Department	Port Angeles	5/31/2021	ESSO		0	0	3	0	0
Jefferson County				Cla	llam Count	y totals			181	20	58
AMBV.ES.00000209	ACTIVEIN RENEWAL	East Jefferson Fire and Rescue	Port Townsen d	2/28/2021	AMBV	ALS	9	5	40	4	15
AMBV.ES.00000211	ACTIVE IN RENEWAL	Port Ludlow Fire and Rescue	Port Ludlow	2/28/2021	AMBV	ALS	4	6	20	0	3
AMBV.ES.00000212	ACTIVE	Brinnon Fire Department	Brinnon	2/28/2022	AMBV	BLS	2	4	11	4	1
AMBV.ES.00000213	ACTIVE IN RENEWAL	Discovery Bay Volunteer Fire and Rescue	Port Townsen d	2/28/2021	AMBV	BLS	2	1	7	1	0
AMBV.ES.60404294	ACTIVE	Quilcene Fire Rescue	Quilcene	2/28/2022	AMBV	BLS	2	0	15	1	1
				Jeffer	son County	y totals			93	10	20

Credential #	Credential Status	Agency Name	City	Expiration Date	Agency Type	Care Level	Grou Vehi		Per	son	nel		
Kitsap County					-		# AMB	#	# BIS	# 11 S	# Δ15		
AMB.ES.60708087	ACTIVE	Falck Northwest	Mountlake Terrace	3/31/2022	AMB	BLS	1	0	0	0	0		
AMBV.ES.00000320	ACTIVE	Central Kitsap Fire and Rescue	Silverdale	7/31/2022	AMBV	ALS	10	0	80	0	23		
AMBV.ES.00000321	ACTIVE	Bainbridge Island Fire Department	Bainbridge Island	7/31/2021	AMBV	ALS	4	0	47	0	9		
AMBV.ES.00000324	ACTIVE	South Kitsap Fire and Rescue	Port Orchard	10/31/202 1	AMBV	ALS	4	5	62	0	23		
AMBV.ES.00000326	ACTIVE	North Kitsap Fire and Rescue	Kingston	10/31/202 1	AMBV	ALS	6	0	38	0	8		
AMBV.ES.00000330	ACTIVE	Bremerton Fire Department	Bremerton	9/30/2021	AMBV	ALS	5	0	45	1	18		
AMBV.ES.00000332	ACTIVE	Poulsbo Fire Department	Poulsbo	9/30/2022	AMBV	ALS	6	20	35	1	19		
AMBV.ES.00000342	ACTIVE	Olympic Ambulance	Bremerton	4/30/2021	AMBV	BLS	8	0	20	0	11		
AMBV.ES.00000343	ACTIVE	Bremerton Ambulance	Bremerton	4/30/2021	AMBV	BLS	3	0	18	0	3		
ESSO.ES.60421581	ACTIVE	Kitsap County Sheriff's Office	Port Orchard	10/31/202 2	ESSO		0	0	0	0	1		
Mason County				Ki	tsap Count	unty totals		sap County totals			345	2	115
AIDV.ES.00000421	ACTIVE	Mason County Fire Protection District 1	Hoodsport	08/31/202 2	AIDV	BLS	0	1	2	0	0		
AIDV.ES.00000430	ACTIVE	Mason County Fire Dist #12	Matlock	01/31/202 3	AIDV	BLS	0	1	4	0	0		
AIDV.ES.00000431	ACTIVE	Mason County Fire District #13	Elma	01/31/202 3	AIDV	BLS	0	3	5	0	0		
AIDV.ES.00000434	ACTIVE	Mason County Fire District #17	Lilliwaup	01/31/202 1	AIDV	BLS	0	2	5	0	0		
AMBV.ES.00000423	ACTIVE	Mason County FPD #3	Grapeview	08/31/202 2	AMBV	BLS	2	0	5	1	0		
AMBV.ES.00000424	ACTIVE	Mason County Fire 4	Shelton	08/31/202 1	AMBV	BLS	2	3	20	1	0		
AMBV.ES.00000425	ACTIVE	Central Mason Fire and EMS	Shelton	08/31/202 2	AMBV	ALS	8	0	25	1	23		
AMBV.ES.00000426	ACTIVE	Mason County Fire District #6	Union	01/31/202 3	AMBV	BLS	1	5	11	0	0		
AMBV.ES.00000435	ACTIVE	Mason County Fire District #18	Hoodsport	01/31/202 3	AMBV	BLS		2	4	1	1		
AMBV.ES.60231480	ACTIVE	West Mason Fire	Shelton	01/31/202 3	AMBV	BLS	1	1	15	0	0		
AMBV.ES.60437165	ACTIVE	North Mason Regional Fire Authority	Belfair	08/31/202 2	AMBV	ALS	5	0	21	0	8		
AMBV.ES.60453257	ACTIVE	Mason County Fire District #11	Shelton	01/31/202 3	AMBV	BLS	0	4	6	0	0		
AMBV.ES.60920474	ACTIVE IN RENEWAL	Olympic Ambulance Service In	Lacey	1/30/21	AMBV		1	0	0	0	4		
ESSO.ES.60336509	ACTIVE	Mason County Sheriff's Office	Shelton	1/31/22	ESSO		0	0	0	0	1		
				Ma	son County	totals			124	4	37		

Numbers are current as of 2/2/21

Total Prehospital Verified Services by County*									
County	AMBV-	AMBV-	AMBV-	AIDV-	AIDV-	AIDV-			
County	ALS	ILS	BLS	ALS	ILS	BLS			
Clallam	4	1	3	0	0	0			
Jefferson	2	0	3	0	0	0			
Kitsap	7	0	1	0	0	0			
Mason	3	0	6	0	0	3			

Numbers are current as of 2/2/21

Total Prehospital Non-Verified Services by County*							
Country	AMB-	AMB-	AMB-	AID-	AID-	AID-	ESSO
County	ALS	ILS	BLS	ALS	ILS	BLS	E330
Clallam	0	0	0	0	0	1	1
Jefferson	0	0	0	0	0	0	0
Kitsap	0	0	1	0	0	0	1
Mason	0	0	0	0	0	0	1

Numbers are current as of 2/2/21

Appendix 5. Approved Min/Max numbers of Verified Trauma Services by Level and Type for each County.

Approved Minimum/Maximum of Verified Trauma Services by Level and Type in each County						
County	Verified Service Type	Care Level	State Approved Minimum #	State Approved Maximum #	Current Status (total # verified for each service type)	
		BLS	1	2	0	
	AIDV	ILS	0	0	0	
Clallam		ALS	1	2	0	
Cialialli		BLS	5	6	3	
	AMBV	ILS	0	0	1	
		ALS	3	4	4	
	AIDV	BLS	1	2	0	
		ILS	0	1	0	
Jefferson		ALS	0	0	0	
Jenerson		BLS	5	5	3	
	AMBV	ILS	1	2	0	
		ALS	2	2	2	
		BLS	2	4	0	
	AIDV	ILS	0	1	0	
Kitsap		ALS	0	0	0	
Kitsap		BLS	5	6	1	
	AMBV	ILS	0	1	0	
		ALS	5	7	7	
		BLS	6	7	3	
	AIDV	ILS	0	0	0	
Mason		ALS	1	1	0	
IVIGSUII		BLS	6	8	6	
	AMBV	ILS	0	0	0	
		ALS	3	3	3	

Numbers are current as of 2/27/21

APPENDIX 6. Trauma Response Areas (TRAs) by County

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
Clallam	#1	Port Angeles Fire Department	The current city limits of Port Angeles	1 AMBV-ALS
Clallam	#2	Clallam County Fire District #2	Area surrounding the City of Port Angeles on three sides, South, West and East. Bordered to south by Olympic National Park	1 AMBV-LS
Clallam	#3	Clallam County Fire District #3	Bordered on the west by response area 2, north by the Strait of Juan De Fuca, to the east by Jefferson County, to the south by Olympic National Park. Includes the City of Sequim	2 AMBV-ALS
Clallam	#4	Clallam County Fire District #4	Along Highway 112 between Port Angeles and Clallam Bay. Bordered by the Strait of Juan De Fuca, south by Olympic National Park	1 AMBV-BLS
Clallam	#5	Clallam County Fire District #5	Clallam Bay area. From mile marker 7 on Highway 112 on the west side, to mile marker 34 on the east	1 AMBV-BLS
Clallam	#6	Clallam County Hospital District #1	Forks township and surrounding rural/wilderness area	1 AMBV-ILS
Clallam	#7	Neah Bay Ambulance	The Makah Indian Nation and surrounding wilderness	1 AMBV-BLS
Clallam	#A		Olympic National Park	1 AIDV-BLS

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
Clallam	#B-O	Clallam County Fire District #2	All areas included in trauma Response Area Number 2	1 AMBV-BLS
Clallam	#B		All other areas in Clallam County	4 AIDV-BLS
Jefferson	#1	Jefferson County Fire District #1	The area between Port Ludlow and Port Townsend and Marrowstone Island	1 AMBV-ALS
Jefferson	#2		Quilcene area bordered on the west by Olympic National Park, north by Highway 104, to the east at mile marker 3 on Coyle Road	1 AMBV-BLS 1 AMBV-ALS
Jefferson	#3	Jefferson County Fire District #3	Easternmost part of County including Port Ludlow, a long stretch of Highway 104, and Hood Canal Bridge response	1 AMBV-ALS
Jefferson	#4	Jefferson County Fire District #4	Southeastern portion of the County bordering Mason County to the south and Olympic National Park to the east. Includes long stretch of Highway 101 along Hood Canal	1 AMBV-BLS 1 AMBV-ALS
Jefferson	#5	Jefferson County Fire District #5	Northwestern Portion of County including Discovery Bay inlet. Bordered on the west by Clallam County	1 AMBV-BLS 1 AMBV-ALS
Jefferson	#7		Northern part of the County including the City of Port Townsend. Bordered on the east by Discovery Bay, and the	1 AMBV-BLS 1 AMBV-ALS

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
			west by the Port of Port Townsend.	
Jefferson	#8		Ranges from the Coyle Peninsula to Quilcene Bay at mile marker 3 on Coyle Road.	1 AMBV-BLS 1 AMBV-ALS
Jefferson	#A		Olympic National Park	1 AIDV-BLS
Jefferson	#B		Fort Warden – Federal land, South and West of the Strait of Juan de Fuca	
Jefferson	#C		Indian Island – Federal land surrounded by the Straight of Juan de Fuca	
Jefferson	#D		Ft. Flagler – Federal park land, Northern tip of Marrowstone Island	
Kitsap	#1	Central Kitsap Fire and Rescue	The Central portion of the county including the City of Silverdale, bordered on the west by the Hood Canal, the east by Port Orchard Bay, to the South by Mason County and has Subbase Bangor to the north.	1 AMBV-ALS
Kitsap	#1A	Central Kitsap Fire and Rescue	Now to be included in Trauma Response area #1.	1 AMBV-ALS
Kitsap	#2	Bainbridge Island	Bainbridge Island	1 AMBV-BLS 1 AMBV-ALS
Kitsap	#3	Bremerton Fire	The City of Bremerton	2 AMBV-BLS 1 AMBV-ALS
Kitsap	#3A		Surrounded by Dyes Inlet to the North and East up to and including the City of Bremerton	2 AMBV-BLS 1 AMBV-ALS
Kitsap	#5	Navy Region NW	Navy Base Bangor	1 AMBV-BLS

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
Kitsap	#7	South Kitsap Fire and Rescue)	The South Eastern Portion of the County bordered on the east by Colvos Passage and the Hood Canal, to the north Dyes Inlet and The City of Bremerton, and to the south and east by Mason County	1 AMBV-ALS
Kitsap	#10	North Kitsap Fire and Rescue	The northern portion of the County and the Kitsap Peninsula including Kingston, The S'Klallam Indian Nation Reservation, the east half of The Port Madison Indian Reservation and Hansville on the northernmost point of the Kitsap Peninsula	1 AMBV-ALS
Kitsap	#18	Poulsbo Fire Department	The City of Poulsbo and surrounding areas from Liberty Bay to the Hood Canal on the west	1 AMBV-ALS
Kitsap	#18A	Poulsbo Fire Department	South of Puget Sound, west of Bangor Airforce Base Trauma Response area #5 and South to Mt. View Road. Includes the West portion of Pt. Madison Indian Reservation. Up to and including the Trauma Response area #18	1 AMBV-ALS
Kitsap	#A		Keyport Federal Military Base with Puget Sound to the North and East. North of Trauma	

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
			Response area #1 and south of #10	
Kitsap	#B		Department of Natural Resources land	
Kitsap	#C		Department of Natural Resources land	
Kitsap	#D		State Land	
Kitsap	#E		Blake Island, Tribal Land	
Mason	#1	Mason County Fire District #1	The Hoodsport area, bordered on the West by Olympic National Park and the Lake Cushman area, to the east by the Hood Canal, to the north at Lilliwaup and to the south at Potlatch	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS
Mason	#2	North Mason Regional Fire Authority	Northeastern portion of the county, bordered on the west by the Hood Canal, to the north and east by Kitsap County. Also covers a portion of 106 along the Hood Canal	1 AMBV-ALS
Mason	#3	Mason County Fire District #3	The Grapeview area bordered to the east and south by case inlet, to the north and west by Highway 3	1 AMBV-BLS 1 AMBV-ALS AIDV-ILS
Mason	#4	Mason County Fire District #4	The southeastern portion of the county. Bordered on the North by Hammersly Inlet, to the west by the City of Shelton to the south by Thurston County and to the east by Totten Inlet	1 AMBV-BLS 1 AMBV-ALS

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
Mason	#5	Mason County Fire District #5	The large central portion of the county, bordered to the south by the City of Shelton and Hammersly Inlet. Covers a long portion of Highway 3 and also contains Harstene Island	1 AMBV-ALS
Mason	#6		Union area along the Hood Canal to the north and bordered by the Skokomish Tribal Reservation on the west.	1 AMBV-BLS 1 AMBV-ALS
Mason	#8	Mason County Fire District #8	The Tahuya area bordered on 3 sides by the Hood Canal	1 AMBV-BLS 1 AMBV-ALS
Mason	#9	Mason County Fire District #9	Covers the west-central portion of the county, from Potlatch to the southern end of the Skokomish Tribal Reservation. Bordered on the west by Olympic National Forest	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS
Mason	#11	Mason County Fire District #11	Northwest of the City of Shelton, includes a portion of Highway 101 and Sanderson Field	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS
Mason	#12	Mason County Fire District #12	Matlock area, large southwestern portion of the County. Bordered to the west and south by Grays Harbor County. Also shares border with Olympic National Forest to the North and Northeast	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS

		Trauma Respor	nse Area by County	
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area
Mason	#13	Mason County Fire District #13	South-central area of the County, southern border to Grays Harbor County, northern at Lost Lake. Small northeastern area borders the City of Shelton	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS
Mason	#16		Dayton Area. Borders Shelton to the east. Ends at Mile 1 on airport Road to the north, mile 9 of Shelton-Matlock Road to the west.	1 AIDV-BLS 1 AMBV-BLS 1 AMBV-ALS
Mason	#17	Mason County Fire District #17	Northwestern area along Highway 101. Borders Jefferson County to the North, Hood Canal to the east, Olympic National Park to the West and Lilliwaup to the south	1 AIDV-ALS 1 AMBV-BLS 1 AMBV-ALS
Mason	#18	Mason County Fire District #18	Lake Cushman Area. Surrounded on all sides By Olympic National Park and Forest areas, except small access area which abuts Hoodsport	1 AMBV-BLS 1 AMBV-ALS
Mason	#15	Mason County Fire District #5	City of Shelton	1 AIDV-BLS 1 AMBV-ALS
Mason	#A		Olympic National Park North of Fire District #12, Surrounding Fire District #18	1 AIDV-BLS
Mason	#B		Olympic National Park	
Mason	#C		Department of Natural Resources Land. South of Fire District #6, East of Fire District #9 and North of Fire District #5	

	Trauma Response Area by County					
County	Trauma Response Area Number	Name of Agency Responding in Trauma Response Area	Description of Trauma Response Area's Geographic Boundaries	Number of Verified Services in the response area		
Mason	#D		McNeil Island Prison			

Interactive Emergency Medical Care Map https://fortress.wa.gov/doh/eh/maps/EMS/index.html


APPENDIX 7. Approved Training Programs

Credential #	Status	Expiration Date	Facility Name	Site City	Site County
TRNG.ES.60119539- PRO	APPROVED	05/31/2022	Clallam County EMS	Port Angeles	Clallam
TRNG.ES.60765973- PRO	APPROVED	05/31/2023	West Olympic Peninsula EMS Council	Clallam Bay	Clallam
TRNG.ES.60101345- PRO	APPROVED	05/31/2023	Jefferson County EMS and Trauma Care Council	Port Townsend	Jefferson
TRNG.ES.60113452- PRO	APPROVED	05/31/2023	Kitsap County EMS and Training Care Council	Silverdale	Kitsap
TRNG.ES.60126227- PRO	APPROVED	05/31/2022	Mason County EMS and Trauma Care Council	Shelton	Mason

Appendix 8. Patient Care Procedures (PCPs)

PATIENT CARE PROCEDURES

Northwest Regional Emergency Medical Services & Trauma Care Council



Post Office Box 5179

Bremerton, WA 98312

Effective: 5/14/15

REVISED By:

Northwest Region EMS & Trauma Care Council Training Education & Development Committee

ADOPTED By:

Northwest Region EMS & Trauma Care Council

Keith Bogues, Chairperson

Contents

Introduction
Objective of the Trauma System
Activation of the Trauma System
Patient Care Procedure – Dispatch
Patient Care Procedure – Response Times
Patient Care Procedure – Triage and Transport
Patient Care Procedure – Transport Guidelines
Patient Care Procedure – Interfacility Transport
Patient Care Procedure – Transport of Patients Outside of Base Area 39
Patient Care Procedure – Activation of Air Ambulance for Filed Response to Major Trauma
Regional Care of the critically III and Injured Child – Triage and Transfer Guidelines 41
State of Washington Prehospital Trauma Triage (Destination) Procedures 43
State of Washington Prehospital Cardiac Triage (Destination) Procedures 45
State of Washington Prehospital Stroke Triage (Destination) Procedures

INTRODUCTION

The Northwest Region's Patient Care Procedures are designed to serve as a guide to Medical Program Directors, trauma verified EMS agencies, 9-1-1 centers and EMS personnel as to how and when to activate the Northwest Region's Trauma System. These procedures apply to Clallam, Jefferson, Kitsap and Mason Counties.

The following Regional Patient Care Procedures are intended as an approach toward the rapid treatment of major trauma patients in the Northwest Region.

OBJECTIVE OF THE TRAUMA SYSTEM

The objective of the Northwest Region EMS & Trauma System is to identify and transport patients, based on medical need, to the most appropriate hospital facility in an expedient manner.

Major trauma patients from the following categories are considered at high risk for morbidity and mortality therefore need immediate transfer or transport to the appropriate Level I or Level II trauma center.

Central Nervous System Injuries

Head injury with any of the following:

- Open, penetrating, or depressed skull fracture
- CSF leak
- Severe coma
- Deterioration in Glasgow Coma Score of 2 or more points
- Lateralizing signs
- Unstable spine
- Spinal cord injury

Chest

Suspected great vessel or cardiac injuries

Major chest wall injury

Patient who may require positive pressure ventilation

Pelvis

Pelvic ring disruption with shock requiring more than 5 units transfusion Evidence of continued hemorrhage

Compound/open pelvic injury with head injury

Multiple System Injury

Severe facial injury with head injury

Chest injury with head injury

Abdominal or pelvic injury with head injury

Burns with head injury

Specialized Problems

Burns over 20 percent of the patient's body surface area involving airway Carbon monoxide poisoning

Barotrauma

Secondary Deterioration (Late Sequelae)

Patient requiring mechanical ventilation

Sepsis

Organ system(s) failure (deterioration in CNS, cardiac, pulmonary, hepatic, renal or coagulation system(s)

Osteomyelitis

EMT's and/or Paramedics shall use the State of Washington's Prehospital Trauma Triage (Destination) Procedures [Addendum 1] and be knowledgeable of the steps required to activate the Trauma System. In general, major trauma patients who meet the major trauma criteria listed above should be immediately transported or transferred to Harborview Medical Center in Seattle.

ACTIVATION OF TRAUMA SYSTEM

Upon evaluation of the patient(s) and determination of the need for a trauma team, the Paramedic, EMT, or appropriate medical personnel shall contact medical control at the nearest or most appropriate designated trauma center and request the activation of the Trauma System.

Once identified, trauma patients should be treated, transported and trauma data collected as quickly as possible. In all cases, the goal of the Northwest Region Trauma System is to have all trauma patients delivered to the most appropriate medical receiving facility within 60 minutes from the time of arrival of EMS on scene of the trauma incident.

PATIENT CARE PROCEDURE – Dispatch

Standard

Provide timely care to all trauma patients so major trauma patients are provided appropriate medical treatment within the "golden hour" of trauma treatment.

As outlined in the Regional Trauma System Plan, "Dispatch Time" is defined as "the time from when the call is received by dispatch to the time the agency is notified" (WAC 246-976-010) [See Definitions].

As outlined in the Regional Trauma System Plan, "Response Time" is measured from "the time the call is received by the trauma verified service to the time of arrival on-scene".

For major trauma patients, the following time guidelines are to be used (measured from the time the call is received by the trauma verified service to the time of arrival on-scene):

First Response (80 percent of the time)

Urban Areas 8 minutes
Suburban Areas 15 minutes
Rural/rural-suburban 45 minutes

Wilderness/Marine/Frontier As soon as possible

Transport Response Time (80 percent of the time)

Urban Areas 10 minutes
Suburban Areas 20 minutes
Rural/rural-suburban 45 minutes

Wilderness/Marine/Frontier As soon as possible

Procedure

A verified licensed ambulance and/or aid service shall be dispatched to all emergency and trauma incidents in the Northwest Region.

The highest level trauma verified ambulance in the response area should be dispatched to transport all known or suspected major trauma patients who meet, or are suspected to meet, the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1].

PATIENT CARE PROCEDURE – Response Times

Standard

All verified licensed ambulance and aid services shall respond to emergency medical and trauma incidents in a timely manner in accordance with the Northwest Region Plan and State WAC 246-976-390(10) [Addendum 4] and WAC 246-976-390(11) - Verification of Trauma Care Services [Addendum 5].

The Northwest Region EMS Council has identified the following urban, suburban, rural-suburban, rural and wilderness/marine/frontier areas response times in the Northwest Region Trauma Plan.

First Response (80 percent of the time)

Urban Areas 8 minutes
Suburban Areas 15 minutes
Rural/rural-suburban 45 minutes

Wilderness/Marine/Frontier As soon as possible

Transport Response Time (80 percent of the time)

Urban Areas 10 minutes
Suburban Areas 20 minutes

Rural/rural-suburban

Wilderness/Marine/Frontier As soon as possible

Procedure

In all major trauma cases, the Golden Hour shall be a dispatch/response/transport goal whenever possible.

45 minutes

A trauma verified service should proceed in an emergency mode to all suspected major trauma incidents until which time they have been advised of injury status to the patients involved.

PATIENT CARE PROCEDURE – Triage and Transport

Standard

All verified licensed ambulance/transport and aid services shall comply with the Northwest Region EMS & Trauma System Plan, Simple Triage and Rapid Treatment (START Triage) Protocol [Appendix 6] and the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1] and transport trauma patients to the most appropriate designated trauma center.

When a destination facility is placed on divert status, field personnel shall transport to the next closest – equal or higher designated trauma facility.

Procedure

The first trauma care providing agency to determine that the patient needs definitive medical care or meets the State of Washington Trauma Triage (Destination) Procedures [Addendum 1] criteria, shall ensure immediate contact with a Level I or Level II trauma designated facility or the agency's on-line medical control.

The receiving facility must be provided with the following information, as outlined in the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1]:

- 1. Identification of the EMS agency;
- 2. Patient's age, if known (or approximate age);
- 3. Patient's chief complaint(s) or problem;
- 4. Identification of the biomechanics and anatomy of the injury;
- 5. Basic vital signs (palpable pulse, where palpable, and rate of respiration;
- 6. Level of consciousness (Glasgow Coma Score or other means);
- 7. Other factors that require consultation with the base station;
- 8. Number of patients (if known); and
- 9. Estimated time of transport of the patient(s) to the nearest and highest level of trauma designated facility.
- 10. Estimated time of transport of the patient(s) from the scene to the nearest Level I or II facility

The first EMS person to determine that a patient meets the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1].

An air ambulance transport should be considered for transport by agencies in the Northwest Region when transport by ground will be greater than 30 minutes, unless weather conditions do not allow for such use, as outlined in the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1].

PATIENT CARE PROCEDURE – Transport guidelines

Standard

All EMS Agencies should follow their Medical Program Director's patient care protocols and /or guidelines for the care and transport of medical and non-major trauma patients. If it is unclear as to where a medical or non-major trauma patient should be transported, contact medical control at your nearest resource hospital for directions; otherwise follow off-line medical control of patients as outlined in your standing orders, patient care protocols, and/or guidelines provided by your Medical Program Director. For the care and transport of identified Major trauma patients EMS Agencies should use the most current State of Washington Prehospital Trauma Triage (Destination) Procedures according to the Department of Health [Addendum 1].

Procedure

MPD's, in the development of their patient care protocols and/or guidelines for the care and transport of medical and non-major trauma patients, who do not meet State of Washington Prehospital trauma Triage (Destination) Procedures shall consider:

- A. Patient's desire or choice of medical facility within the region as to where they want to be transported and/or treated. Or, In the case of an unconscious patient, the wishes of the patient's family or personal physician.
- B. The type of treatment and the ability of a receiving hospital to treat such medical or non-major trauma (i.e., high risk OB patients, potential ICU/CCU patients, unstable co-morbid medical patients, etc.).
- C. Level, severity, and type of injuries.
- D. Ability of the receiving hospital to adequately treat the medical or non-major trauma patient.

In all cases, unless proper medical care and resources dictate otherwise, the choice of the patient is paramount in the development of standing orders, patient care protocols, and/or guidelines for EMS transport agencies.

DATA COLLECTION

Trauma verified ambulance and aid services shall collect and leave documentation in the form of Northwest Region approved MIR forms or approved electronic computer submission to the Hospital the patient was transported.

PATIENT CARE PROCEDURE – Interfacility Transport

Standard

All designated trauma facilities shall have transfer agreements for the identification and transfer of trauma patients.

All interfacility transfers shall be in compliance with current OBRA/COBRA and EMTALA regulations and must be consistent with RCW 70.170.060(2) [Addendum 7].

Procedure

This is part of the Trauma Center Designation process and is addressed in the designation application process. The Northwest Region will use the procedures outlined by each facility in their designation application.

Interfacility transfer of A major Trauma Patient

When a major trauma patient must be transferred from a lower level Trauma Center to a higher level center (Level IV to Level I, for example), the transferring physician must contact the receiving physician who must accept the transfer of the patient prior to the patient leaving the sending facility.

The transferring physician and facility will ensure the appropriate level of care during transport of the major trauma patient to the receiving Trauma Center.

The receiving facility must accept or be available to accept the major trauma patient prior to the patient leaving the sending facility.

The receiving facility will be given the following information on the patient by fax, phone, or other appropriate means:

- a. Brief History
- b. Pertinent physical
- c. Summary of any treatment done prior to the transfer
- d. Response to therapy and current condition

All appropriate documentation must be available at the receiving facility upon arrival of the patient to the receiving facility (it may be sent with the patient, faxed to the hospital, or relayed by other appropriate means).

The transferring physician's orders shall be followed during transport. Should the patient's condition change during transport the pre-determined on-line or off-line medical control for the transporting agency shall be utilized.

Further orders may be given by the receiving physician.

MPD approved protocols should be followed during transport, unless direct medical orders by the sending or receiving physician are given to the contrary.

All ground interfacility transports must be conducted by a trauma-verified service for trauma system patients.

PATIENT CARE PROCEDURE – Transport of Patients Outside of Base Area

Standard

All verified licensed ambulance and aid services shall comply with the Northwest Region EMS & Trauma System Plan and the State of Washington Prehospital Trauma Triage (Destination) Procedures [Addendum 1] and transport trauma patients to the most appropriate designated trauma center or facility.

Procedure

Patients transferred out of any local base coverage area (from either the base hospital or the field) are initially the responsibility of local on-line medical control. Prehospital personnel will follow local prehospital protocols. Initial orders, which are consistent with local prehospital protocols, will be obtained from base station online medical control.

When the transport service crosses into destination jurisdiction, the destination online medical control shall be contacted and given the following information:

- 1. Brief history
- 2. Pertinent physical findings
- 3. Summary of treatment (per protocols and per orders from base medical control)
- 4. Response to treatment
- 5. Current condition

The destination medical control physician may add further orders provided they are within the capabilities of the transport personnel.

The nearest trauma center base station will be contacted during the transport should the patient" condition deteriorate and/or assistance is needed. The transport unit may divert to the closest trauma center as dictated by the patient's condition.

PATIENT CARE PROCEDURE – Activation of Air Ambulance for Field Response to Major Trauma

Standard

All verified licensed ambulance and aid services shall comply with the Northwest Region EMS & Trauma System Plan and the State of Washington Prehospital Trauma Triage (Destination) Procedures as defined in WAC 246-976-390 - and transport trauma patients to the most appropriate designated trauma center or facility.

Procedure

The decision to activate air ambulance service for field response to major trauma shall be made by the highest certified responder from the scene with on-line medical control consultation. Where Incident Command System (ICS) is used, the commander shall be an integral part of this process.

Air ambulance services requested to respond into the Northwest Region will follow their policies for accepting a field mission and their Rotary Wing Primary Service Area criteria

REGIONAL CARE OF THE CRITICALLY ILL AND INJURED CHILD - Triage and Transfer Guidelines

(Adopted by the Governor's EMS & Trauma Care Steering Committee on July 19, 1995)

Consideration should be given to early transfer of a child to the regional pediatric trauma center when required surgical or medical subspecialty care of resources are unavailable. These include, but are not limited to the following:

- 1. Hemodynamically stable children with documented visceral injury being considered for "observational" management. Although the efficacy of this approach in selected cases has been well documented, two significant caveats always apply:
 - a) Hemodynamic instability mandates immediate operative intervention, and
 - b) Non-operative care is safe only in an environment that provides both close clinical observation by a surgeon experienced in the management of childhood trauma and immediately available operative care.
- 2. Children with abnormal mental status. In all but the infant, outcome from closed head injury has been shown to be significantly better for the child than for the adult. Although the quality and timeliness of initial resuscitation are the most important determinants of outcome from brain injury, continued comprehensive management in specialized units with multi-disciplinary pediatric critical care teams may provide a more rapid and complete recovery.
- 3. Infants and small children. Severely injured infants and small children are the most vulnerable and, frequently, the least stable trauma victims, because they require the special resources and environment of a regional pediatric trauma center, transfer should occur as soon as safely feasible.
- 4. Children with injuries requiring complex or extensive reconstruction. These services are traditionally most available in hospitals capable of functioning as a regional pediatric trauma center. It is especially important that children with impairments requiring long-term follow-up and supportive care have this provided or at last coordinated by the regional pediatric trauma center. Longitudinal follow-up of the injury-related disability is an essential requirement of the regional pediatric trauma center's trauma registry.
- 5. Children with polysystem trauma requiring organ system support. This is especially important for those patients requiring ventilatory, cardiovascular, renal, or nutritional support. Because these problems usually occur synchronously and require precise interdisciplinary coordination, they are best managed in comprehensive facilities such as regional pediatric trauma centers.

After airway management and primary resuscitation, consider the following points for transfer guidelines. A collaborative discussion is required between the transferring and receiving attending physicians.

- 1. Altered level of consciousness, mental status or declining trauma score (after primary resuscitation and airway management);
- 2. Head injury requiring CT Scan and/or neurosurgical consultation, for example: with lateralizing signs, seizures, loss of consciousness;
- 3. Major thoracic injury, e.g.: hemothorax, pulmonary contusion, possible great vessel injury, cardiac tramponade, flail chest;
- 4. Inability to evaluate abdomen due to mental status or lack of resources such as CT or peritoneal lavage;
- 5. Suspicion of foreign body in lower airway or main stem bronchi;
- 6. Unstable spinal fracture, suspected or actual spinal cord injury;
- Primary accidental hypothermia with core temperature of 32 degrees C or less; or hypothermia with multi-system injury and core temperature of 34 degrees C or less;
- 8. High risk fractures such as: pelvic fracture, long bone injuries with neurovascular involvement (compromise);
- 9. Significant penetrating injuries to head, neck, thorax, abdomen or pelvis;
- 10. Need for mechanical ventilation;
- 11. Evidence of onset of organ failure, for example: acute respiratory distress syndrome, cardiac, renal or hepatic failure;
- Cardiac dysrhythmias, cardiac pacing, superventricular tachycardia, or continuous infusion of one or more inotropic or cardiovascular agents, need for invasive monitoring;
- 13. Near drowning or asphyxiation with deteriorating mental status or progressive respiratory distress;
- 14. Burns of greater than 15% of the body (20% of age 10 or greater), 2nd degree or greater involving:
 - a. The face, mouth and throat;
 - b. Singed nasal hair;
 - c. Brassy or sooty cough;
 - d. Deep or excessive burns of the hands, feet, joints and/or perineum;
 - e. Electrical injury (including lightening); and/or
 - f. Chemical burns with threat of functional or cosmetic compromise.

Should be transferred to a Regional Burn Center.

Referral to these centers must be protocol-driven and continuously monitored by the quality improvement process. Access to such care must be expeditious and must reflect ONLY medical need.

Adopted from: Resources for Equal Care of the Injured Patient: 1993

Committee on Trauma: American College of Surgeons

STATE OF WASHINGTON

PREHOSPITAL TRAUMA TRIAGE (DESTINATION) PROCEDURE

Purpose

The Trauma Triage Procedure was developed by the Centers for Disease Control in partnership with the American College of Surgeons, Committee on Trauma. The guidelines have been adopted by the Department of Health (DOH) based on the recommendation of the State EMS and Trauma Steering Committee.

The procedure is described in the attached algorithm. The guidelines represent the current best practice for the triage of trauma patients. The algorithm allows EMS and Trauma Responders to quickly and accurately determine if the patient is a major trauma patient. Major trauma patients must be taken to the highest appropriate level trauma facility in the defined system within 30 minutes transport time (Air or Ground).

The "defined system" is the trauma system that exists within an EMS and Trauma Care Region.

Explanation of Procedure

Any certified EMS and Trauma responder can identify a major trauma patient and activate the trauma system. This may include asking for Advanced Life Support response or air medical evacuation.

Step (1) Assess the patient's vital signs and level of consciousness using the Glasgow Coma Scale. Step 1 findings require activation of the trauma system. They also require rapid transport to the highest, most appropriate trauma center within 30 minutes' transport time (ground or air). If unable to manage the patient's airway, consider meeting up with an ALS unit or transporting to the nearest facility capable of definitive airway management.

<u>Step (2)</u> Assess the anatomy of injury. Step 2 findings require activation of the trauma system. They also require rapid transport to the highest, most appropriate trauma center within 30 minutes transport time (ground or air). The presence of the specific anatomical injuries even with normal vital signs, lack of pain or normal levels of consciousness still require calling medical control and activating the trauma system.

<u>Step (3)</u> Assess biomechanics of the injury and address other risk factors. The conditions identified are reasons for the provider to transport to a trauma center. The destination trauma center need not be the highest-level trauma center. Medical control should be contacted as soon as possible.

<u>Step (4)</u> has been added to assess special patients or system considerations. Risk factors coupled with "Provider Judgment" are reasons for the provider to contact Medical Control and discuss appropriate transport for these patients. In some cases, the decision may be to transport to the nearest trauma center.

Regional Patient Care Procedures (PCP's) and Local County Operating Procedures (COPS) provide additional detail about the appropriate hospital destination. PCP's and COP's are intended to further define how the system operates. The Prehospital Trauma Triage procedure and the Regional Patient Care Procedures work in a "hand in glove" fashion to address trauma patient care needs.

Washington State Trauma Triage Destination Procedures

1 Health Measure Vital Signs & Level Of Consciousness Glasgow Coma Scale STEP < 13 or Systolic Blood Pressure < 90 mmHg 1 Respiratory Rate <10 or >29 per minute or need for Ventilator support (<20/min in infant aged < 1 year) Take patient to the system's* highest No appropriate level Trauma YES Assess Anatomy of Injury Center within 30 minutes All penetrating injuries to head, neck, torso, and extremities proximal to transport time elbow or knee (Air or Ground) Chest wall instability or deformity (e.g., flail chest) Two or more proximal long bone fractures STEP Crushed, degloved, mangled, or pulseless extremity Amputation proximal to wrist or ankle *"System" is defined as the Pelvic fractures Regional or Local EMS and Open or depressed skull fracture Trauma System. Paralysis No Assess Mechanism of Injury & Evidence of High-Energy Impact Falls -Adults: > 20 ft. (1 story = 10 ft.) Transport to closest -Children: ≥10 ft. or 2-3 times height of child appropriate trauma High-Risk auto crash center within 30 minutes -Intrusion, including roof >12 inches occupant site; >18 inches any transport time (Air or STEP Ground), which, depend-3 Ejection (partial or complete) from automobile ing upon the defined trau-YES -Death in same passenger compartment ma system, need not be -Vehicle telemetry data consistent with a high risk injury the highest level trauma Auto vs. pedestrian/bicyclist thrown, run over, or with significant center (>20 mph) impact Motorcycle crash > 20 mph No Assess Special Patient or System Considerations Contact medical control Older Adults and consider transport to -Risk of injury or death after age 55 years a trauma center or a YES -Systolic BP < 110 may represent shock after age 65 specific resource -Low impact mechanisms (e.g. ground level) fall may result in severe injury hospital Children STEP Should be triaged preferentially to pediatric capable trauma center Anticoagulants and bleeding disorders -Patients with head injury are at high risk for rapid deterioration Transport according to local protocol & -Without other trauma mechanism, triage to burn facility Regional PCP Pregnancy > 20 weeks EMS provider judgment When in Doubt, Transport to a Trauma Center!

State of Washington Prehospital Cardiac Triage Destination Procedure

Why triage cardiac patients?

The faster a patient having a heart attack or who's been resuscitated gets treatment, the less likely he or she will die or be permanently disabled. Patients with unstable angina and non-ST elevation acute coronary syndromes (UA/NSTE) are included in the triage procedure because they often need immediate specialized cardiac care. This triage procedure is intended to be part of a coordinated regional system of care that includes dispatch, EMS, and both Level I and Level II Cardiac Hospitals.

How do I use the Cardiac Triage Destination Procedure?

- A. Assess applicability for triage If a patient is post cardiac arrest with ROSC, or is over 21 and has any of the symptoms listed, the triage tool is applicable to the patient. Go to the "Assess Immediate Criteria" box. NOTE: Women, diabetics, and geriatric patients often have symptoms other than chest pain/discomfort so review all symptoms with the patient.
- B. Assess immediate criteria If the patient meets any one of these criteria, he or she is very likely experiencing a heart attack or other heart emergency needing immediate specialized cardiac care. Go to "Assess Transport Time and Determine Destination" box. If the patient does not meet immediate criteria, or you can't do an ECG, go to the "Assess High Risk Criteria" box.
- C. Assess high risk criteria If, in addition to meeting criteria in box 1, the patient meets four or more of these high risk criteria, he or she is considered high risk for a heart attack or other heart emergency needing immediate specialized cardiac care. These criteria are based on the TIMI risk assessment for unstable angina/non-STEMI. If the patient does not meet the high risk criteria in this box, but you believe the patient is having an acute coronary event based on presentation and history, consult with medical control to determine appropriate destination. High risk criteria definitions:
 - 3 or more CAD (coronary artery disease) risk factors:
 - . Age ≥ 55: epidemiological data for WA show that incidence of heart attack increases at this age
 - . Family history: father or brother with heart disease before 55, or mother or sister before 65
 - High blood pressure: ≥140/90, or patient/family report, or patient on blood pressure medication
 - · High cholesterol: patient/family report or patient on cholesterol medication
 - · Diabetes: patient/family report
 - · Current smoker: patient/family report.
 - Aspirin use in last 7 days: any aspirin use in last 7 days.
 - □ ≥2 anginal events in last 24 hours: 2 or more episodes of symptoms described in box 1 of the triage tool, including the current event.
 - Known coronary disease: history of angina, heart attack, cardiac arrest, congestive heart failure, balloon angioplasty, stent, or bypass surgery.
 - ST deviation ≥ 0.5 mm (if available): ST depression ≥ 0.5 mm is significant; transient ST elevation ≥ 0.5 mm for < 20 minutes is treated as ST-segment depression and is high risk; ST elevation >1 mm for more than 20 minutes places these patients in the STEMI treatment category.
 - Elevated cardiac markers (if available): CK-MB or Troponin I in the "high probability" range of the device used. Only definitely positive results should be used in triage decisions.
- D. Determine destination The general guideline is to take a patient meeting the triage criteria directly to a Level I Cardiac Hospital within reasonable transport times. For BLS, this is generally within 30 minutes transport time, and for ALS, generally 60 minutes transport time. See below for further guidance. Regional patient care procedures and county operating procedures may provide additional guidance.
- E. Inform the hospital en route so staff can activate the cath lab and call in staff if necessary.

What if a Level I Cardiac Hospital is just a little farther down the road than a Level II?

You can make slight changes to the 30/60 minute timeframe. The benefits of opening an artery faster at a Level I can outweigh the extra transport time. To determine whether to transport beyond the 30 or 60 minutes, figure the difference in transport time between the Level I Cardiac Hospital and the Level II Cardiac Hospital. For BLS, if the difference is more than 30 minutes, go to the Level II Cardiac Hospital. For ALS, if the difference is more than 60 minutes, go to the level II Cardiac Hospital.

BLS examples: A) minutes to Level I minus minutes to Level II = 29: go to Level I

B) Minutes to Level I minus minutes to Level II = 35: go to Level II

ALS examples: A) minutes to Level I minus minutes to Level II = 45: go to Level I

B) Minutes to Level I minus minutes to Level II = 68: go to Level II


NOTE: We recommend ALS use a fibrinolytic checklist to determine if a patient is ineligible for fibrinolysis. If ineligible, transport to closest Level I hospital even if it's greater than 60 minutes or rendezvous with air transport.

What if there are two or more Level I or II facilities to choose from?

If there are two or more of the same level facilities to choose from within the transport times, patient preference, insurance coverage, physician practice patterns, and local rotation agreements may be considered in destination decision.



State of Washington Prehospital Cardiac Triage Destination Procedure



^{*} Slight modifications to the transport times may be made in county operating procedures. See page 2. Consider ALS and air transport for all transports greater than 30 minutes. If there are two or more Level I facilities to choose from within the transport timeframe, patient preference, insurance coverage, physician practice patterns, and local rotation agreements may be considered in determining destination. This also applies if there are two or more Level II facilities to choose from.

April 2011



State of Washington Prehospital Stroke Triage Destination Procedure

STEP 1: Assess Likelihood of Stroke

- Numbness or weakness of the face, arm, or leg, especially on one side of the body
- Confusion, trouble speaking, or understanding
- Trouble seeing in one or both eyes
- Trouble walking, dizziness, loss of balance, or coordination
- Severe headache with no known cause

If any of above, proceed to STEP 2, if none, transport per regional PCP/county operating procedures

STEP 2: Perform F.A.S.T. Assessment (positive if any of Face/Arms/Speech abnormal)

- · Face: Unilateral facial droop
- Arms: Unilateral arm drift or weakness
- · Speech: Abnormal or slurred
- Time: Best estimate of Time Last Known Well =

If FAST negative, transport per regional/county operating procedures

STEP 3: If F.A.S.T. Positive - Calculate Stroke Severity Score (LAMS)


Facial Droop: Absent 0 Present 1

Arm Drift: Absent 0 Drifts 1 Falls Rapidly 2
Grip Strength: Normal 0 Weak 1 No Grip 2
Total Stroke Severity Score = (max. 5 points)

STEP 4: Determine Destination: Time Last Known Well + Stroke Severity Score - See Back Page

February 2019

STEP 4: Determine Destination: Time Last Known Well + Stroke Severity Score



The purpose of the Prehospital Stroke Triage and Destination Procedure is to identify stroke patients in the field and take them to the most appropriate hospital, which might not be the nearest hospital. Stroke treatment is time-critical – the sooner patients are treated, the better their chances of survival and recovering function.

For strokes caused by a blocked blood vessel in the brain (ischemic, the majority of strokes), clot-busting medication (tPA) must be administered within 4.5 hours from the time the patient was last known well, a treatment that can be given at WA DOH Level 1, 2 or 3 stroke centers (for a list of categorized hospitals, please click here). If a patient presents to EMS with a severe stroke, they are more likely to have blockage

of a large vessel and can benefit from mechanical clot retrieval (thrombectomy). Thrombectomy must begin by 24 hours since last known well, and is a more complex intervention, only available in Level I and a small number of Level II stroke centers. There are 3 key elements to determine the appropriate destination hospital: FAST stroke screen to identify a patient with a high probability of stroke.

Stroke Severity Score to determine if a patient meets criteria for "severe" stroke. Time since Last Known Well (LKW) which helps determine eligibility for tPA and thrombectomy.

STEPS to determine destination:

Do a FAST Stroke Screen Assessment: (Facial droop, Arm drift, Speech changes, Time since LKW) is a simple way to tell if someone might be having a stroke. If FAST is negative, stroke is less likely, and standard destination procedures apply. If FAST is positive (face or arms or speech is abnormal), it's likely the patient is having a stroke and the EMS provider moves on to assessing stroke severity.

Assess severity: The stroke severity assessment scores the FAST stroke screen. Patients get points for deficits:

Facial droop gets 1 point if present, 0 points if absent;

Arm drift (have patient hold arms up in air) gets 2 points if an arm falls rapidly, 1 point if slowly drifts down and 0 points if the arms stay steady;

Grip strength gets 2 points if no real effort can be made, 1 point if grip is clearly there but weak, and 0 points if grips seem of full strength.

Add up the points: A score > 4 is interpreted as "severe."

Determine time since LKW: It is important to use the LKW time as opposed to when symptoms were first noticed. If a patient woke up in the morning with symptoms and was well when they went to bed, time LKW is the time they went to bed. If stroke symptoms occur when the patient is awake, LKW could be the same time the symptoms started if the patient or a bystander noticed the onset. LKW time could also be prior to symptoms starting if a patient delays reporting symptoms or, for example, someone discovers a patient with symptoms but saw them well 2 hours prior.

Determine Destination:

Time since LKW < 6 hours and "Severe" (score > 4): This group benefits from preferential transport to a thrombectomy stroke center. The patient should be taken directly to the nearest thrombectomy stroke center provided it is no more than 15 extra minutes travel compared to the nearest stroke center.

Time since LKW is > 24 hours (regardless of severity score): These patients should be taken to nearest Level I or II stroke center provided it is no more than 15 minutes greater than to a nearer Level III stroke center.

Time since LKW 6-24 hours but NOT "Severe": These patients should be taken directly to the nearest Level I or Level II stroke center provided it is no more than 15 extra minutes travel compared to a nearer Level 3 stroke center.

Time since LKW 6-24 hours AND "Severe": Transport to nearest Level I or II Stroke Center with endovascular capability provided transport time is no more than 30-60 min greater than to a nearer Level II or Level III Stroke Center. Regional care procedures and county operating procedures may provide additional guidance.

Notification: Immediately notify the destination hospital of incoming stroke. If the patient is within 6 hours LKW, call a stroke alert according to county operating procedures or locally determined protocol.

Document: key medical history, medication list and next of kin phone contacts; time on scene; FAST assessment and results (or reason why not); blood glucose level; LKW time (including unknown); and whether the hospital was notified from the field and if it was a stroke alert.

https://www.doh.wa.gov/Portals/1/Documents/Pubs/530182.pdf

Appendix 9.

A. County Operating Procedures (COPs) - website links to the individual COP's can be found below:

Mason County - http://www.masoncountyems.com/
Clallam County - https://www.nwrems.org/clallam
Jefferson County - https://www.nwrems.org/jefferson
Kitsap County - http://www.kitsapcountyems.org/
West Olympic Peninsula - https://www.nwrems.org/west-olympic-peninsula

B: Non-fatal Injury Hospitalization

https://www.doh.wa.gov/Portals/1/Documents/Pubs/689149.pdf

Fatal Injuries Data

https://www.doh.wa.gov/Portals/1/Documents/8390/140-205-NorthwestRegionEMST-InjuryDataTableFatality(1).pdf

https://www.doh.wa.gov/Portals/1/Documents/Pubs/689147.pdf